



GUDE PACKAGE

古德包装

Shantou Gude Packaging Materials Co., Ltd.

Email: lin@gudepackage.com

Number: 86 18666689898



: www.gudepackage.com





Established in 2000, Gude Packaging Materials Co Ltd original factory, specializes in flexible plastic packaging, covering gravure printing, film laminating and bag making. Located in Shantou, Guangdong China, our factory enjoys an easy access to a complete supply of plastic packaging. Our company covers an area of 10300 square meters. We have high speed 10 colors gravure printing machines, solvent-free laminating machines and high speed bag-making machines. We can print and laminate 9,000kg of film per day in normal condition.

We offer the markets custom packaging solutions for food packaging, pet food and pet treats packaging, healthy packaging, beauty packaging, daily-use packaging and nutritional packaging. The packaging material supply can be Pre-made bag and/or film roll. Our main products cover a wide range of packaging bags such as flat bottom pouches, stand-up pouches, square bottom bags, zipper bags, flat pouches, 3 sides seal bags, mylar bags, special shape bags, back centre seal bags, side gusset bags and roll film. We have varied material structures for different usages according to the need of the customers, the packaging bags can be aluminum foil bags, retort pouches, microwave packaging bags, frozen bags and vacuum packaging bags.



Our factory is QS certified for food packaging process. Our products meet the standard of FDA. With 22 years of production and 12 years of foreign trade, our experienced staff are always standby to discuss your requirements and ensure your satisfaction. We are excellent in producing promotion items. We can produce large quantities in a short time with stable quality and competitive price.

Guaranteed by stable and timely supply, credible quality and sincere service, our products are sold well in both domestic and overseas markets. We enjoy good business relationships with our clients.

We also work with some big brands in the world. Our packaging products are sold to UK, Australia, New Zealand, South American and South East-Asia. The business with them is increasing year by year.

Certificat



Test Report No.: XMHL1705002648CW Date: Jun. 1, 2017 Page 1 of 9

SHANTOU JINYI PRINTING CO.LTD
BLDG. B6, NAN PIAN INDUSTRIAL ZONE NEI CHONG GONG, LONG HU SHANTOU CHINA 515041

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : LAMINATED PLASTIC BAG
Sample Receiving Date : May. 11, 2017
Test Performing Date : May. 11, 2017 to Jun. 1, 2017
Test Performed : Selected test(s) as requested by applicant
Test Result(s) : For further details, please refer to the following page(s)



Test Report No.: CANHG1815584901 Date: 13 Aug 2018 Page 1 of 4

DONGHUANG INDUSTRIAL CO.,LIMITED
BLDG.B6,NAN PIAN INDUSTRIAL ZONE NEI CHONG GONG,LONG HU SHANTOU CHINA 515041

The following sample(s) was/were submitted and identified on behalf of the clients as : plastic food packaging

SGS Job No. : GZHL1807032752CW - GZ
Date of Sample Received : 31 Jul 2018
Testing Period : 31 Jul 2018 - 13 Aug 2018
Test Requested : Selected test(s) as requested by client.
Test Method(s) : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
Commission Regulation (EU) No 1002/11 of 14 January 2011 with amendments-- Overall migration	PASS
Commission Regulation (EU) No 1002/11 of 14 January 2011 with amendments-- Specific Migration of Heavy Metal	PASS

Signed for and on behalf of
Xiamen Branch, SGS-CSTC Co., Ltd.

Sharky Xia
Approved Signatory

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Fannie Chen
Review



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
herein and available at <http://www.sgs.com> or <http://www.sgs.com.cn> and for additional terms and conditions,
please refer to the website of the Company. The Company is not responsible for the accuracy of the information provided in this document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
deemed to have accepted the terms and conditions of the Company and to be bound by the terms and conditions of the contract of
analysis. The Company is not responsible for the accuracy of the information provided in this document. The Company is not
responsible for the accuracy of the information provided in this document. The Company is not responsible for the accuracy of the
information provided in this document. The Company is not responsible for the accuracy of the information provided in this document.
Member of the SGS Group (SGS SA)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
herein and available at <http://www.sgs.com> or <http://www.sgs.com.cn> and for additional terms and conditions,
please refer to the website of the Company. The Company is not responsible for the accuracy of the information provided in this document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
deemed to have accepted the terms and conditions of the Company and to be bound by the terms and conditions of the contract of
analysis. The Company is not responsible for the accuracy of the information provided in this document. The Company is not
responsible for the accuracy of the information provided in this document. The Company is not responsible for the accuracy of the
information provided in this document. The Company is not responsible for the accuracy of the information provided in this document.
Member of the SGS Group (SGS SA)



Test Report No. CANHG1815583002 Date: 15 Aug 2018 Page 1 of 3

DONGHUANG INDUSTRIAL CO.,LIMITED
BLDG.B6,NAN PIAN INDUSTRIAL ZONE NEI CHONG GONG,LONG HU SHANTOU CHINA 515041

The following sample(s) was/were submitted and identified on behalf of the clients as : plastic food packaging

SGS Job No. : GZHL1807032750CW - GZ
Date of Sample Received : 31 Jul 2018
Testing Period : 31 Jul 2018 - 15 Aug 2018
Test Requested : Selected test(s) as requested by client.
Test Method(s) : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BFR recommendation-Volatile organic matter (VOM)	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Fannie Chen
Review



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
herein and available at <http://www.sgs.com> or <http://www.sgs.com.cn> and for additional terms and conditions,
please refer to the website of the Company. The Company is not responsible for the accuracy of the information provided in this document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
deemed to have accepted the terms and conditions of the Company and to be bound by the terms and conditions of the contract of
analysis. The Company is not responsible for the accuracy of the information provided in this document. The Company is not
responsible for the accuracy of the information provided in this document. The Company is not responsible for the accuracy of the
information provided in this document. The Company is not responsible for the accuracy of the information provided in this document.
Member of the SGS Group (SGS SA)



Test Report No. CANHG1815583001 Date: 15 Aug 2018 Page 1 of 3

DONGHUANG INDUSTRIAL CO.,LIMITED
BLDG.B6,NAN PIAN INDUSTRIAL ZONE NEI CHONG GONG,LONG HU SHANTOU CHINA 515041

The following sample(s) was/were submitted and identified on behalf of the clients as : plastic food packaging

SGS Job No. : GZHL1807032745CW - GZ
Date of Sample Received : 31 Jul 2018
Testing Period : 31 Jul 2018 - 15 Aug 2018
Test Requested : Selected test(s) as requested by client.
Test Method(s) : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
FDA 21 CFR 177.1520-Maximum extractable fraction in n-Hexane	PASS
FDA 21 CFR 177.1520-Maximum soluble fraction in xylene	PASS
FDA 21 CFR 177.1520-Density at 23°C	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Fannie Chen
Review



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
herein and available at <http://www.sgs.com> or <http://www.sgs.com.cn> and for additional terms and conditions,
please refer to the website of the Company. The Company is not responsible for the accuracy of the information provided in this document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
deemed to have accepted the terms and conditions of the Company and to be bound by the terms and conditions of the contract of
analysis. The Company is not responsible for the accuracy of the information provided in this document. The Company is not
responsible for the accuracy of the information provided in this document. The Company is not responsible for the accuracy of the
information provided in this document. The Company is not responsible for the accuracy of the information provided in this document.
Member of the SGS Group (SGS SA)


Customization Process




Production and Packaging Process




Bag Type




square bottom pouch




square bottom pouch with zipper




roasted chicken bag




3 side seal bag




back seal pouch




stand up pouch




4 sides seal bag




stand up pouch with zipper



stand up nozzle bag



roll film



plastic cup



plastic container

Featured Products

Square Bottom Pouch (Zipper on top)

Square Bottom Pouch (Zipper on side)

Square Bottom Pouch (without zipper)

Stand Up Pouch With Zipper

Stand Up Pouch Without Zipper

3 Side Seal Bag With Zipper

3 Side Seal Bag Without Zipper

Back Seal Pouch

Roasted Chicken Bag

Roll Film

Plastic Cup

Plastic Container

Square Bottom Pouch (Zipper on top)



Product parameters

Model Number: GD-8BP0001

Size(mm): 120(W) x 220(H) + 65MM

Material structure: Matt Bopp25+PET 12 +LDPE 63

Thickness(μ m): 100

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BP0005

Size(mm):160(W) x 220(H) + 70MM

Material structure: Front Pet12+LDPE128,Printing
matte oil ; Side : Matt Pet12+LDPE 128

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BP0008

Size(mm):275(W) x 400(H) + 110MM

Material structure: PET 12 + PA15 +LDPE 125

Thickness(μ m): 152

MOQ: 10,000 PCS



Product parameters

Model Number:GD-8BP0009

Size(mm):150(W) x 260(H) + 80MM

Material structure: Matt BOPP 25 +Mpet12+LDPE103

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BP0010

Size(mm):330(W) x 420(H) + 110MM

Material structure: PET 12 + PA15 +LDPE 125

Thickness(μ m): 152

MOQ: 10,000 PCS



Product parameters

Model Number:GD-8BP0011

Size(mm):330(W) x 420(H) + 110MM

Material structure: PET 12 + PA15 +LDPE 125

Thickness(μ m): 152

MOQ: 10,000 PCS





Product parameters

Model Number:GD-8BP0012

Size(mm):330(W) x 420(H) + 110MM

Material structure: PET 12 + PA15 +LDPE 125

Printing matte oil

Thickness(μ m): 152

MOQ: 10,000 PCS



Product parameters

Model Number:GD-8BP0016

Size(mm):90(W) x 180(H) + 50MM

Material structure: Matte BOPP25+PET12+PE50

Side: PET12+PE75

Thickness(μ m): 87

MOQ: 20,000 PCS



Product parameters

Model Number:GD-8BP0017

Size(mm):160(W) x 260(H) + 80MM

Material structure: PET12+LDPE78

Thickness(μ m): 90

MOQ: 20,000 PCS



Product parameters

Model Number:GD-8BP0018

Size(mm):230(W) x 300(H) + 120MM

Material structure: bopp25+Mpet12+pe78

Thickness(μ m): 115

MOQ: 10,000 PCS



Square Bottom Pouch (Zipper on side)



Product parameters

Model Number:GD-8BC0001

Size(mm):145(W)x270(H)+50MM

Material structure:

Front and back: Mattbopp25+Mpet12+Ldpe103

Side: Pet12+Ldpe128

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BC0004

Size(mm):210(W)x330(H)+74MM

Material structure:

Front and back: Mattbopp25+Mpet12+Ldpe103

Side: Pet12+Ldpe128

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BC0007

Size(mm):145(W)x270(H)+50MM

Material structure:

Front and back: Mattbopp25+Mpet12+Ldpe103

Side: Pet12+Ldpe128

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BC0010

Size(mm):150(W)x220(H)+130MM

Material structure: PET12+LDPE98

Thickness(μ m): 110

MOQ: 30,000 PCS





Product parameters

Model Number:GD-8BC0012

Size(mm):145(W)x270(H)+50MM

Material structure: MattBopp25+Mpet12+Ldpe103

Thickness(μ m): 140

MOQ: 20,000 PCS



Product parameters

Model Number:GD-8BC0013

Size(mm):210(W)x300(H)+117MM

Material structure: MattBopp25+Mpet12+Ldpe103

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-8BC0014

Size(mm):145(W)x270(H)+50MM

Material structure: MattBopp25+Mpet12+Ldpe103

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-8BC0015

Size(mm):210(W)x330(H)+74MM

Material structure: PET12+LDPE128

Thickness(μ m): 140

MOQ: 20,000 PCS



Square Bottom Pouch (without zipper)



Product parameters




Model Number:GD-8BN0001

Size(mm):150(W)x230(H)+50MM

Material structure: PET12+LDPE78

Thickness(μ m): 90

MOQ: 20,000 PCS





Product parameters

Model Number:GD-8BN0002

Size(mm):145(W)x205(H)+65MM

Material structure: PET12+LDPE98+matte oil

Thickness(μ m): 110

MOQ: 30,000 PCS



Product parameters

Model Number:GD-8BN0003

Size(mm):120(W)x220(H)+60MM

Material structure: PET12+LDPE80+matte oil

Thickness(μ m): 92

MOQ: 30,000 PCS





Product parameters

Model Number:GD-8BN0004

Size(mm):120(W)x160(H)+50MM

Material structure: PET12+Al7+PE101+matte oil

Thickness(μ m): 120

MOQ: 22,000 PCS





Product parameters

Model Number:GD-8BN0005

Size(mm):120(W)x160(H)+50MM

Material structure: PET12+Al7+PE101+matte oil

Thickness(μ m): 120

MOQ: 22,000 PCS



Stand Up Pouch With Zipper



Product parameters

Model Number:GD-ZLP0001

Size(mm):180(W) x 235(H) + 80MM

Material structure: PET12+MPET12+LDPE116

Printing matte oil

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLP0002

Size(mm):210(W) x 300(H) + 117MM

Material structure: PET12+MPET12+LDPE116

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-ZLP0003

Size(mm):230(W) x 310(H) + 117MM

Material structure: PET12+MPET12+LDPE116

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0004


Size(mm):210(W) x 300(H) + 117MM

Material structure: PET12+MPET12+LDPE116

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-ZLP0005

Size(mm):210(W) x 300(H) + 117MM

Material structure: PET 12+LDPE 128

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0006

Size(mm):230(W) x 300(H) + 117MM

Material structure: PET 12+LDPE 128

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0008

Size(mm):230(W) x 310(H) + 117MM

Material structure: PET 12+LDPE 128

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-ZLP0007

Size(mm):210(W) x 300(H) + 117MM

Material structure: PET 12+LDPE 128

Printing matte oil

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0010

Size(mm):210(W) x 300(H) + 117MM

Material structure: PET 12+LDPE 128

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0012

Size(mm):230(W) x 310(H) + 117MM

Material structure: PET 12+LDPE 128

Thickness(μ m): 140

MOQ: 15,000 PCS



Product parameters

Model Number:GD-ZLP0013

Size(mm):170(W) x 250(H) + 95MM

Material structure: PET 12+LDPE 128

Thickness(μ m): 140

MOQ: 15,000 PCS





Product parameters

Model Number:GD-ZLP0014

Size(mm):175(W) x 195(H) + 80MM

Material structure: PET 12 + PE 108 , Freezing

Thickness(μ m): 120

MOQ: 30,000 PCS



Product parameters

Model Number:GD-ZLP0024

Size(mm):210(W) x300(H) + 117MM

Material structure: PET12+MPET12+LDPE116

printing matte oil

Thickness(μ m): 140

MOQ: 20,000 PCS



Product parameters

Model Number:GD-ZLP0025

Size(mm):300(W) x455(H) + 110MM

Material structure: Matte op25/pet12+ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLP0026

Size(mm):150(W) x230(H) + 80MM

Material structure: PET12+Al7 + LDPE101

Thickness(μ m): 120

MOQ: 20,000 PCS



Product parameters

Model Number:GD-ZLP0027

Size(mm):150(W) x230(H) + 80MM

Material structure: PET12+Al7 + LDPE101

Thickness(μ m): 120

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLP0028

Size(mm):150(W) x230(H) + 80MM

Material structure: PET12+Al7 + LDPE101

Thickness(μ m): 120

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0029

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters



Model Number:GD-ZLP0030

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0031

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0032

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0033

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10.000 PCS





Product parameters

Model Number:GD-ZLP0034

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0035

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0036

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0037

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLP0038

Size(mm):130(W) x205(H) + 65MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS



Product parameters

Model Number:GD-ZLP0039

Size(mm):130(W) x205(H) + 65MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS





Product parameters

Model Number:GD-ZLP0040

Size(mm):130(W) x205(H) + 65MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS



Product parameters

Model Number:GD-ZLP0041

Size(mm):130(W) x205(H) + 65MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS



Product parameters

Model Number:GD-ZLP0042

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0043

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0044

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0045

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0046

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLP0047

Size(mm):160(W) x230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLP0048

Size(mm):180(W) x235(H) + 80MM

Material structure: Matte Bopp25+Ldpe115

Thickness(μ m): 140

MOQ: 20,000 PCS



Product parameters

Model Number:GD-ZLP0049

Size(mm):230(W) x310(H) + 117MM

Material structure: Matt bopp25+MBopp15+Cpp85

Thickness(μ m): 125

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLP0050

Size(mm):230(W) x310(H) + 117MM

Material structure: Matt bopp25+MBopp15+Cpp85

Thickness(μ m): 125

MOQ: 20,000 PCS



Product parameters


Model Number:GD-ZLP0051

Size(mm):175(W) x195(H) + 80MM

Material structure: PET 12 + PE 128,Freezing

Thickness(μ m): 140

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLP0052

Size(mm):180(W) x260(H) + 100MM

Material structure:PET12+Al7 + LDPE150+Matt Oil

Thickness(μ m): 169

MOQ: 30,000 PCS



Product parameters

Model Number:GD-ZLP0053

Size(mm):210(W) x300(H) + 117MM

Material structure:PET12+Al7 + LDPE150+Matt Oil

Thickness(μ m): 169

MOQ: 30,000 PCS





Product parameters

Model Number:GD-ZLP0054

Size(mm):180(W) x260(H) + 100MM

Material structure:PET12+Al7 + LDPE150+Matt Oil

Thickness(μ m): 169

MOQ: 30,000 PCS



Product parameters

Model Number:GD-ZLP0055

Size(mm):255(W) x320(H) + 100MM

Material structure:PET12+Al7 + LDPE150+Matt Oil

Thickness(μ m): 169

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLP0056

Size(mm):230(W) x310(H) + 117MM

Material structure:MattBopp25+MBopp15+Cpp85

Thickness(μ m): 125

MOQ: 28,000 PCS



Product parameters

Model Number:GD-ZLP0057

Size(mm):130(W) x210(H) + 60MM

Material structure:PET 12+LDPE 128

Thickness(μ m): 140

MOQ: 20,000 PCS



Product parameters

Model Number:GD-ZLP0058

Size(mm):160(W) x230(H) + 90MM

Material structure:PET 12+LDPE 128

Thickness(μ m): 140

MOQ: 20,000 PCS



Product parameters

Model Number:GD-ZLP0059

Size(mm):140(W) x160(H) + 60MM

Material structure:PET12+CPP48

Thickness(μ m): 60

MOQ: 50,000 PCS



Stand Up Pouch Without Zipper



Product parameters

Model Number:GD-ZLN0001

Size(mm):145(W) x 185(H) + 50MM

Material structure: Matt Bopp25+Craft35gsm lined

Mpet 80+Ldpe50

Thickness(μ m): 155

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLN0005

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0006

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0007

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0008

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0009

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0010

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0011

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0012

Size(mm):140(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0013

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0014

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0015

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0016

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0017

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0018

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS



Product parameters

Model Number:GD-ZLN0019

Size(mm):170(W) x 240(H) + 80MM

Material structure: Matt bopp25+Pet12+Pe60

Thickness(μ m): 97

MOQ: 1,000 PCS



Product parameters

Model Number:GD-ZLN0020

Size(mm):130(W) x 200(H) + 60MM

Material structure: Matt bopp25+Pet12+Pe60

Thickness(μ m): 97

MOQ: 1,000 PCS



Product parameters

Model Number:GD-ZLN0021

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5.000 PCS



Product parameters

Model Number:GD-ZLN0022

Size(mm):160(W) x 230(H) + 94MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 2,000 PCS



Product parameters

Model Number:GD-ZLN0023

Size(mm):130(W) x 205(H) + 65MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 10,000 PCS





Product parameters

Model Number:GD-ZLN0024

Size(mm):155(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS



Product parameters

Model Number:GD-ZLN0025

Size(mm):140(W) x 220(H) + 70MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZLN0026

Size(mm):155(W) x 240(H) + 90MM

Material structure: Matt Bopp25+Mpet12+Ldpe80

Thickness(μ m): 117

MOQ: 5,000 PCS



3 Side Seal Bag With Zipper



Product parameters

Model Number:GD-3BFP0001

Size(mm):170(W)x175(H)

Material structure: MattBOPP 19 + CPP 20

Thickness(μ m): 39

MOQ: 50,000 PCS





Product parameters

Model Number:GD-3BFP0005

Size(mm):130(W)x165(H)

Material structure: PET12+Highlight CPP38

Thickness(μ m): 50

MOQ: 50,000 PCS



3 Side Seal Bag Without Zipper



Product parameters

Model Number:GD-3BFN0001

Size(mm):200(W)x230(H)

Material structure: PET12+LDPE48

Thickness(μ m): 60

MOQ: 20,000 PCS

Product parameters

Model Number:GD-3BFN0002

Size(mm):220(W)x80(H)

Material structure: PET12+LDPE48

Thickness(μ m): 60

MOQ: 100,000 PCS



Product parameters

Model Number:GD-3BFN0003

Size(mm):210(W)x250(H)

Material structure: PET12+LDPE48

Thickness(μ m): 60

MOQ: 20,000 PCS



Product parameters

Model Number:GD-3BFN0004

Size(mm):180(W)x220(H)

Material structure: PET12+LDPE48

Thickness(μ m): 60

MOQ: 30,000 PCS





Product parameters

Model Number:GD-3BFN0005

Size(mm):240(W)x320(H)

Material structure: Mattbopp25+cpp40

Thickness(μ m): 7

MOQ: 35,000 PCS



Back Seal Pouch



Product parameters

Model Number:GD-ZFN0001

Size(mm):200(W)x300(H)+20MM

Material structure: Matt Bopp25+AL7 + PE 33

Thickness(μ m): 65

MOQ: 20,000 PCS





Product parameters

Model Number:GD-ZFN0004

Size(mm):130(W)x215(H)+20MM

Material structure: PET12+MPET12+PE50

Thickness(μ m): 74

MOQ: 50,000 PCS





Product parameters

Model Number:GD-ZFN0008

Size(mm):200(W)x360(H)+20MM

Material structure: bopp25+NY15+PE30

Thickness(μ m): 70

MOQ: 25,000 PCS

Product parameters

Model Number:GD-ZFN0009

Size(mm):200(W)x300(H)+20MM

Material structure: bopp25+NY15+PE30

Thickness(μ m): 70

MOQ: 50,000 PCS





Product parameters

Model Number:GD-ZFN0011

Size(mm):6.7(W)x300(H)+20MM

Material structure: PET12+CPP38

Thickness(μ m): 50

MOQ: 50,000 PCS



Product parameters

Model Number:GD-ZFN0012

Size(mm):70(W)x210(H)+60MM

Material structure: PET12+LDPE80 + matte oil

Thickness(μ m): 92

MOQ: 30,000 PCS



Roasted Chicken Bag



Product parameters

Model Number:GD-ZLP0016

Size(mm):310(W) x230(H) + 150MM

Material structure: PET12+CPP50, Anti-fog

Thickness(μ m): 62

MOQ: 50,000 PCS





Product parameters

Model Number:GD-ZLP0018

Size(mm):310(W) x230(H) + 150MM

Material structure: PET12+CPP50, Anti-fog

Thickness(μ m): 56

MOQ: 50,000 PCS

Product parameters

Model Number:GD-ZLP0021

Size(mm):340(W) x230(H) + 140MM

Material structure: PET12 + CPP 45

Thickness(μ m): 57

MOQ: 50,000 PCS



Product parameters

Model Number:GD-ZLP0022

Size(mm):320(W) x180(H) + 140MM

Material structure: PET12 + CPP 45

Thickness(μ m): 57

MOQ: 50,000 PCS



Product parameters

Model Number:GD-ZLP0023

Size(mm):300(W) x160(H) + 140MM

Material structure: PET12 + CPP 45

Thickness(μ m): 57

MOQ: 50,000 PCS



Roll Film



Product parameters

Model Number:GD-ZDB0001

Size(mm):420(W)x300(H)

Material structure: Mattbopp25+Mpet12+Ldpe38

Thickness(μ m): 75

MOQ: 300KG





Product parameters

Model Number:GD-ZDB0004

Size(mm):244(W)x131(H)

Material structure: Mattbopp25+Mpet12+Ldpe30

Thickness(μ m): 67

MOQ: 300KG

Product parameters

Model Number:GD-ZDB0005

Size(mm):420(W)x340(H)

Material structure: Pet12+Cpp53

Thickness(μ m): 65

MOQ: 300KG



Product parameters

Model Number:GD-ZDB0006

Size(mm):420(W)x300(H)

Material structure: Pet12+Cpp53

Thickness(μ m): 65

MOQ: 300KG



Plastic Cup



Product parameters

Model Number:GD-PPB0001

Size(mm):Bottom wide: 65

Top wide: 95

High: 150

Material structure: PP

Capacity (ml): 650

Weight: 20 ± 0.3

MOQ: 50,000 PCS

Product parameters

Model Number:GD-PPB0002

Size(mm):Bottom wide: 65

Top wide: 95

High: 200

Material structure: PP

Capacity (ml): 960

Weight: 29.5 ± 0.3

MOQ: 50,000 PCS





Product parameters

Model Number:GD-PPB0003

Size(mm):Bottom wide: 65

Top wide: 95

High: 150

Material structure: PP

Capacity (ml): 650

Weight: 20 ± 0.3

MOQ: 50,000 PCS

Product parameters

Model Number:GD-PPB0005

Size(mm):Bottom wide: 65

Top wide: 95

High: 200

Material structure: PP

Capacity (ml): 960

Weight: 29.5 ± 0.3

MOQ: 50,000 PCS



Product parameters

Model Number:GD-PPB0006

Size(mm):Bottom wide: 65

Top wide: 95

High: 200

Material structure: PP

Capacity (ml): 960

Weight: 29.5 ± 0.3

MOQ: 50,000 PCS





Product parameters

Model Number:GD-PPB0007

Size(mm):Bottom wide: 65

Top wide: 95

High: 150

Material structure: PP

Capacity (ml): 650

MOQ: 50,000 PCS

Product parameters

Model Number:GD-PPB0008

Size(mm):Bottom wide: 65

Top wide: 95

High: 200

Material structure: PP

Capacity (ml): 960

MOQ: 50,000 PCS



Plastic Container



Product parameters

Model Number:GD-PPH0002

Size(mm):Bottom wide: 122.5

Top wide: 169

High: 73

Material structure: PP

Capacity (ml): 1060

MOQ: 1,000 PCS





Product parameters

Model Number:GD-PPH0005

Size(mm):Bottom wide: 122.5

Top wide: 169

High: 82

Material structure: PP

Capacity (ml): 1260

MOQ: 1,000 PCS





Product parameters

Model Number:GD-PPH0008

Size(mm):Bottom wide: 111

Top wide: 169

High: 98

Material structure: PP

Capacity (ml): 1560

MOQ: 1,000 PCS





Product parameters

Model Number:GD-PPH0011

Size(mm):Bottom wide: 115

Top wide: 169

High: 117

Material structure: PP

Capacity (ml): 1760

MOQ: 1,000 PCS





Product parameters

Model Number:GD-PPH0014

Size(mm):Bottom wide: 170

Top wide: 190

High: 35

Material structure: PP

Capacity (ml): 520

MOQ: 1,500 PCS



Product parameters

Model Number:GD-PPH0016

Size(mm):Bottom wide: 125

Top wide: 155

High: 68

Material structure: PP

Capacity (ml): 1000

MOQ: 1,000 PCS



Product parameters

Model Number:GD-PPH0017

Size(mm):Bottom wide: 178

Top wide: 212

High: 40.5

Material structure: PP

Capacity (ml): 750

MOQ: 1,000 PCS



Product parameters

Model Number:GD-PPH0018

Size(mm):Bottom wide: 175

Top wide: 212

High: 47

Material structure: PP

Capacity (ml): 1000

MOQ: 1,000 PCS



Product parameters

Model Number:GD-PPH0019

Size(mm):Bottom wide: 200

Top wide: 214

High: 49.5

Material structure: PP

Capacity (ml): 1000

MOQ: 1,000 PCS



BOPS



Product parameters

Model Number:GD-BOPS0001

Size(mm):Length: 156

Width: 155

High: 68

Material structure: BOPS

Weight: 17.2g

MOQ: 1,000 PCS





Product parameters

Model Number:GD-BOPS0002

Size(mm):Length: 250

Width: 260

High: 65.3

Material structure: BOPS

Weight: 35.6g

MOQ: 600 PCS





Product parameters

Model Number:GD-BOPS0003

Size(mm):Length: 195

Width: 193

High: 65

Material structure: BOPS

Weight: 37.3 g

MOQ: 600 PCS





GUDE PACKAGE
古德包装

Shantou Gude Packaging Materials Co., Ltd.